



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100996F

TEST REPORT

Lab Inward No. SATPL/26-27/06/MAAM/13Y	Date of Sampling : 15-16/06/2026
Client Name : M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT. LTD.)	Start of Analysis : 16/06/2026
IRON ORE WET BENEFICIATION PLANT	End of Analysis : 20/06/2026
VILLAGE SANTONA, TALUKA – SANGUEM, SOUTH GOA DISTRICT, GOA	Report Date : 20/06/2026
Order / Reference : As per TRF dated 15/06/2026	Sample Drawn By : SATPL Team on 15-16/06/2026
Monitoring For : Ambient Air Monitoring	
Sampling Procedure : As per IS 5182	
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 18.11.2009	
Sampling Location : Bandoli Village – Buffer Zone (Upwind)	
Duration : 24 Hrs.	Time : 10:10 am to 10:10 am
Ambient Temperature[OC]: 32.0	Relative Humidity [%]: 56

RESULTS

Sr. No.	Parameters	Results	Limits	Unit	Reference Method
1	Sulphur Dioxide (SO ₂)	10.42	≤ 80	µg/m ³	IS 5182(Part-2)2001 R 2022
2	Nitrogen Dioxide(NO ₂)	16.15	≤ 80	µg/m ³	IS 5182(Part-6/sec 1):2026
3	Particulate Matter PM ₁₀	56.96	≤ 100	µg/m ³	IS 5182 (Part 23)2006 R 2022
4	Particulate Matter PM _{2.5}	27.45	≤ 60	µg/m ³	IS 5182 (Part 24):2019

Remark: Reference to above mentioned monitoring report all the parameters are within the limits.

Disclaimer: 'Information is supplied by customers represented in italic font'

EQUIPMENT CALIBRATION DETAILS

Sr. No.	EquipmentName	Equipment ID	CertificateNo.	Calibration Detail	
				Calibrated Date	Calibration Due Date
160504060	Ambient air sampler-2	SATPL/AR/AAS-02/123	26021101-20	19.02.2026	18.02.2027
55627	Semi Micro Weighing Balance	SATPL/AR/SMWB-01/144	FSC/2602/1601/073	17.02.2026	16.02.2027
1697	U.V- Vis Spectrophotometer	SATPL/WT/UV/30	NA	Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



Managing Director
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No: TC1387726000100997F

TEST REPORT

Lab Inward No. SATPL/26-27/06/MAAM/13Z		Date of Sampling : 15-16/06/2026			
Client Name : M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT. LTD.) IRON ORE WET BENEFICIATION PLANT VILLAGE SANTONA, TALUKA - SANGUEM, SOUTH GOA DISTRICT, GOA		Start of Analysis : 16/06/2026			
		End of Analysis : 20/06/2026			
		Report Date : 20/06/2026			
Order / Reference : As per TRF dated 15/06/2026		Sample Drawn By : SATPL Team on 15-16/06/2026			
Monitoring For : Ambient Air Monitoring					
Sampling Procedure : As per IS 5182					
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 18.11.2009					
Sampling Location : Core Zone (Downwind)					
Duration : 24 Hrs.		Time : 11:15 am to 11:15 am			
Ambient Temperature[OC]: 32.0		Relative Humidity [%]: 56			
RESULTS					
Sr. No.	Parameters	Results	Limits	Unit	Reference Method
1	Sulphur Dioxide (SO ₂)	7.81	≤ 80	µg/m ³	IS 5182(Part-2)2001 R 2022
2	Nitrogen Dioxide(NO ₂)	20.52	≤ 80	µg/m ³	IS 5182(Part-6/sec 1):2026
3	Particulate Matter PM ₁₀	61.93	≤ 100	µg/m ³	IS 5182 (Part 23)2006 R 2022
4	Particulate Matter PM _{2.5}	30.36	≤ 60	µg/m ³	IS 5182 (Part 24):2019
Remark: Reference to above mentioned monitoring report all the parameters are within the limits.					
Disclaimer: 'Information is supplied by customers represented in italic font'					
EQUIPMENT CALIBRATION DETAILS					
Sr. No.	EquipmentName	Equipment ID	CertificateNo.	Calibration Detail	
				Calibrated Date	Calibration Due Date
201204156	Ambient Air sample-3	SATPL/AR/AAS-03/124	26021101-24	19.02.2026	18.02.2027
55627	Semi Micro Weighing Balance	SATPL/AR/SMWB -01 /144	FSC/2602/1601/073	17.02.2026	16.02.2027
1697	U.V- Vis Spectrophotometer	SATPL/WT/UV /30	NA	Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



Managing Director
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No: TC1387726000100998F

TEST REPORT

Lab Inward No. SATPL/26-27/06/MAAM/13AA	Date of Sampling : 15-16/06/2026
Client Name : M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT. LTD.)	Start of Analysis : 16/06/2026
IRON ORE WET BENEFICIATION PLANT	End of Analysis : 20/06/2026
VILLAGE SANTONA, TALUKA - SANGUEM, SOUTH GOA DISTRICT, GOA	Report Date : 20/06/2026
Order / Reference : As per TRF dated 15/06/2026	Sample Drawn By : SATPL Team on 15-16/06/2026
Monitoring For : Ambient Air Monitoring	
Sampling Procedure : As per IS 5182	
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 18.11.2009	
Sampling Location : Cormonem Village	
Duration : 24 Hrs.	Time : 12:15 pm to 12:15 pm
Ambient Temperature[OC]: 32.0	Relative Humidity [%]: 56

RESULTS

Sr. No.	Parameters	Results	Limits	Unit	Reference Method
1	Sulphur Dioxide (SO ₂)	9.12	≤ 80	µg/m ³	IS 5182(Part-2)2001 R 2022
2	Nitrogen Dioxide(NO ₂)	18.73	≤ 80	µg/m ³	IS 5182(Part-6/sec 1):2026
3	Particulate Matter PM ₁₀	59.58	≤ 100	µg/m ³	IS 5182 (Part 23)2006 R 2022
4	Particulate Matter PM _{2.5}	26.20	≤ 60	µg/m ³	IS 5182 (Part 24):2019

Remark: Reference to above mentioned monitoring report all the parameters are within the limits.

Disclaimer: 'Information is supplied by customers represented in italic font'

EQUIPMENT CALIBRATION DETAILS

Sr. No.	EquipmentName	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
160504059	Ambient Air Sampler-1	SATPL/AR/AAS-01/122	26021101-22	19.02.2026	18.02.2027
55627	Semi Micro Weighing Balance	SATPL/AR/SMWB-01/144	FSC/2602/1601/073	17.02.2026	16.02.2027
1697	U.V- Vis Spectrophotometer	SATPL/WT/UV/30	NA	Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



Managing Director
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100999F

TEST REPORT

Lab Inward No. : SATPL/26-27/06/MANM/13AB

Date of Sampling : 15-16/06/2026

Client Name :

Start of analysis : 15/06/2026

M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT. LTD.)

End of Analysis : 16/06/2026

IRON ORE WET BENEFICIATION PLANT

Report Date : 20/06/2026

VILLAGE SANTONA, TALUKA - SANGUEM,
SOUTH GOA DISTRICT, GOA

Sample Drawn By : SATPL Representative on 15-16/06/2026

Order / Reference: As per TRF dated 15/06/2026

AMBIENT NOISE LEVEL MONITORING

Sr. No.	LOCATIONS	NOISE LEVEL READING IN dB (A) Leq	
		DAY TIME	NIGHT TIME
1	Near Office (Core Zone)	62.3	43.9
2	Bandoli Village (Buffer Zone)	52.1	37.4
3	Carmonem Village (Buffer Zone)	47.6	35.2
4	Devnamol Village (Buffer Zone)	50.1	33.7

Remark- : Reference to above mentioned monitoring report all the parameters are within the limits.

Disclaimer- 'information supplied by customers represented in italic font'

Noise Limits as per Schedule III of "The Environment (Protection) Rules, 1986" are as follows:

Area Code	Category of Area	Limits in dB(A) Leq	
		Day Time	Night Time
(A)	Industrial Area	75	70
(B)	Commercial Area	65	55
(C)	Residential Area	55	45
(D)	Silence Zone	50	40

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
1560525	Sound Level Meter	SATPL/AR/SLM -01/99	26021101-10	19.02.2026	18.02.2027

For Shreeji Aqua Treatment Pvt. Ltd.



Managing Director
Authorized Signatory

-----End of Test Report-----

This report cannot be reproduced in parts. The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No. 1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

Lab Inward No. : SATPL/26-27/06/MWN/13AC	Date of Sampling : 15/06/2026
Client Name : M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT. LTD.)	Start of analysis : 15/06/2026
IRON ORE WET BENEFICIATION PLANT	End of Analysis : 15/06/2026
VILLAGE SANTONA, TALUKA - SANGUEM, SOUTH GOA DISTRICT, GOA	Report Date : 20/06/2026
	Sample Drawn By : SATPL Representative on 15/06/2026

Order / Reference: As per TRF dated 15/06/2026

WORKPLACE NOISE LEVEL MONITORING

Sr. No.	LOCATIONS	NOISE LEVEL READING IN dB (A) Leq
		DAY TIME
1	At Plant (HEMM)	83.3
2	Near Excavator (HEMM)	81.9
3	Near Wheel loader (HEMM)	84.1
4	Tippers (HEMM)	80.8

Remark- : As per above mentioned report, all locations meets with the limit of noise standards. Permissible exposure limits as per DGMS Technical Circular 18 of 1975 and THE GOA Factories Rules, 1985 is 85 dB (A) for TWA (8 hrly).

Limit: Permissible exposure limits as per DGMS Technical Circular 18 of 1975 and The Goa Factories Rules, 1985 is 85 dB (A) for TWA (8 hrly).

Disclaimer- 'information supplied by customers represented in italic font'

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
217089693	Sound Level Meter	SATPL/AR/SLM DL-03/101	26021101-07	19.02.2026	18.02.2027

For Shreeji Aqua Treatment Pvt. Ltd.



S. Mehta
Managing Director
Authorized Signatory

-----End of Test Report-----

This report cannot be reproduced in parts. The results relate to sample tested.

Page 1 of 1

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100981F

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13J		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water - Kalay River Upstream & Downstream Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results		Limits	Unit	Method
		SW-1	SW-2			
1	pH Value	6.56	6.88	6.5-8.5	----	IS 3025 (Part 11):2022
2	Total Dissolved Solids	38.0	32.0	1500.0 Max	mg/L	IS 3025 (Part 16): 2023
3	Sulphate as SO ₄	0.81	0.56	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
4	Total Hardness as CaCO ₃	16.0	10.0	NS	mg/L	IS 3025 (Part 21): 2009 R 2019
5	Chloride as Cl	8.01	6.01	600.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
6	Nitrate as NO ₃	0.6	<0.1	50.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
7	Hexavalent Chromium	<0.1	<0.1	0.05 Max	mg/L	APHA 24th edition: 3500Cr- B:2023
8	Iron as Fe	0.088	0.076	50.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
9	Zinc as Zn	<0.01	<0.01	15.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019
10	Cadmium as Cd	<0.003	<0.003	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
11	Lead as Pb	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Copper as Cu	0.010	<0.001	1.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
13	Phenolic compound as C ₆ H ₅ OH	<0.001	<0.001	0.005 Max	mg/L	IS 3025 (Part 43):1992 R 2022

Note: NA-Not Applicable. NS: Not Specified.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehta

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2020

Sample / Report No.	SATPL/26-27/06/MSW/13J					
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.					
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.					
Order / Reference	As Per TRF dated 15/06/2026					
Sample declaration as provided by customer :						
Nature of Sample	Surface Water - Kalay River Upstream & Downstream Water Sample					
Batch No.	NA					
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026			
Start of Analysis	16/06/2026	End of Analysis	22/06/2026			
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)			
Sampling Procedure	IS 3025 (Part 1)					
Limits	Surface Water Quality Standards Class -C (as per IS:2296)					
Chemical Testing						
Sr.No	Parameters	Results		Limits	Unit	Method
		SW-1	SW-2			
14	Selenium as Se	<0.01	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Cyanide as CN	<0.05	<0.05	0.05 Max	mg/L	APHA 24 th Edition: 2023:4500CN (Part E)
16	Total arsenic as As	<0.01	<0.01	0.2 Max	mg/L	IS 3025 (Part 37):1988 R2019
17	Colour	<1.0	<1.0	300.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
18	Fluorides as F	<0.1	<0.1	1.5 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
19	Chemical Oxygen Demand (COD)	9.62	6.41	NS	mg/L	APHA, 24 th Edition 2023/ 5220-C
20	Bio Chemical Oxygen Demand (BOD) @ 27°C for 3 Days	<1.0	<1.0	3.0 Max	mg/L	IS 3025 (Part 44):2023
21	Total Suspended Solids (TSS)	12.0	14.0	NS	mg/L	APHA, 24 th Edition 2023/ 2540-D
22	Oil & Grease	BDL	BDL	0.1 Max	mg/L	IS 3025 (Part 39):2021
23	Dissolve Oxygen as DO	4.6	4.8	4.0 Min	mg/L	APHA 24th edition: 45000-B:2023
24	Anionic detergents (as MBAS)	<0.1	<0.1	1.0 Max	mg/L	IS 3025 (Part 68): 2019

Note: NA-Not Applicable. NS-Not Specified. BDL-Below Detection Limit.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. J. Mehta
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreeji aqua.com Web: www.shreeji aqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreeji aqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13J		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water - Kalay River Upstream & Downstream Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Sterile Plastic Bottle	Sample Quantity	250 mL(Each)
Sampling Procedure	IS (1622):1981R2019		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Biological Testing

Sr.No	Parameters	Results		Limits	Unit	Method
		SW-1	SW-2			
1	Total coliform bacteria	50.0	60.0	5000.0	MPN/100 mL	IS (1622):1981R2019

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.
01	Kalay River Upstream Water Sample	SW-1
02	Kalay River Downstream Water Sample	SW-2



For Shreeji Aqua Treatment Pvt. Ltd.

Pingre
(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 3 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100982F

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13K		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water – Zuari River & Dudhsagar River Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results		Limits	Unit	Method
		SW-3	SW-4			
1	pH Value	7.26	7.34	6.5-8.5	-----	IS 3025 (Part 11):2022
2	Total Dissolved Solids	48.0	52.0	1500.0 Max	mg/L	IS 3025 (Part 16): 2023
3	Sulphate as SO ₄	1.77	1.85	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
4	Total Hardness as CaCO ₃	20.0	26.0	NS	mg/L	IS 3025 (Part 21): 2009 R 2019
5	Chloride as Cl	11.02	13.02	600.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
6	Nitrate as NO ₃	0.52	0.24	50.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
7	Hexavalent Chromium	<0.1	<0.1	0.05 Max	mg/L	APHA 24th edition: 3500Cr- B:2023
8	Iron as Fe	0.094	0.075	50.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
9	Zinc as Zn	<0.01	<0.01	15.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019
10	Cadmium as Cd	<0.003	<0.003	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
11	Lead as Pb	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Copper as Cu	0.033	0.024	1.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
13	Phenolic compound as C ₆ H ₅ OH	<0.001	<0.001	0.005 Max	mg/L	IS 3025 (Part 43):1992 R 2022

Note: NA-Not Applicable. NS: Not Specified.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13K		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water – Zuari River & Dudhsagar River Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results		Limits	Unit	Method
		SW-3	SW-4			
14	Selenium as Se	<0.01	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Cyanide as CN	<0.05	<0.05	0.05 Max	mg/L	APHA 24 th Edition: 2023:4500CN (Part E)
16	Total arsenic as As	<0.01	<0.01	0.2 Max	mg/L	IS 3025 (Part 37):1988 R2019
17	Colour	<1.0	<1.0	300.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
18	Fluorides as F	<0.1	<0.1	1.5 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
19	Chemical Oxygen Demand (COD)	9.62	12.83	NS	mg/L	APHA, 24 th Edition 2023/ 5220-C
20	Bio Chemical Oxygen Demand (BOD) @ 27°C for 3 Days	1.0	1.5	3.0 Max	mg/L	IS 3025 (Part 44):2023
21	Total Suspended Solids (TSS)	18.0	22.0	NS	mg/L	APHA, 24 th Edition 2023/ 2540-D
22	Oil & Grease	BDL	BDL	0.1 Max	mg/L	IS 3025 (Part 39):2021
23	Dissolve Oxygen as DO	5.4	5.6	4.0 Min	mg/L	APHA 24 th edition: 45000-B:2023
24	Anionic detergents (as MBAS)	<0.1	<0.1	1.0 Max	mg/L	IS 3025 (Part 68): 2019

Note: NA-Not Applicable. NS-Not Specified. BDL-Below Detection Limit.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehra
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13K					
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.					
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.					
Order / Reference	As Per TRF dated 15/06/2026					
Sample declaration as provided by customer :						
Nature of Sample	Surface Water – Zuari River & Dudhsagar River Water Sample					
Batch No.	NA					
Sample Drawn by	SATPL on 15/06/2026		Sample Received On	16/06/2026		
Start of Analysis	16/06/2026		End of Analysis	22/06/2026		
Sample Container	Sterile Plastic Bottle		Sample Quantity	250 mL(Each)		
Sampling Procedure	IS (1622):1981R2019					
Limits	Surface Water Quality Standards Class –C (as per IS:2296)					
Biological Testing						
Sr.No	Parameters	Results		Limits	Unit	Method
		SW-3	SW-4			
1	Total coliform bacteria	30.0	40.0	5000.0	MPN/100 mL	IS (1622):1981R2019

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.
01	Zuari River Water Sample	SW-3
02	Dudhsagar River Water Sample	SW-4



For Shreeji Aqua Treatment Pvt. Ltd.

Ringne
(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 3 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100980F

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/131		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water- Moissal Dam Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results	Limits	Unit	Method
		SW-6			
1	pH Value	7.12	6.5-8.5	-----	IS 3025 (Part 11):2022
2	Total Dissolved Solids	72.0	1500.0 Max	mg/L	IS 3025 (Part 16): 2023
3	Sulphate as SO ₄	2.50	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
4	Total Hardness as CaCO ₃	28.0	NS	mg/L	IS 3025 (Part 21): 2009 R 2019
5	Chloride as Cl	13.02	600.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
6	Nitrate as NO ₃	0.38	50.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
7	Hexavalent Chromium	<0.1	0.05 Max	mg/L	APHA 24th edition: 3500Cr-B:2023
8	Iron as Fe	0.084	50.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
9	Zinc as Zn	<0.01	15.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019
10	Cadmium as Cd	<0.003	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
11	Lead as Pb	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Copper as Cu	0.034	1.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
13	Phenolic compound as C ₆ H ₅ OH	<0.001	0.005 Max	mg/L	IS 3025 (Part 43):1992 R 2022

Note: NA-Not Applicable. NTU: Nephelometric Turbidity unit

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/131		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water- Moissal Dam Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results	Limits	Unit	Method
		SW-6			
14	Selenium as Se	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Cyanide as CN	<0.05	0.05 Max	mg/L	APHA 24 th Edition:2023:4500CN (Part E)
16	Total arsenic as As	<0.01	0.2 Max	mg/L	IS 3025 (Part 37):1988 R2019
17	Colour	<1.0	300.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
18	Fluorides as F	<0.1	1.5 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
19	Chemical Oxygen Demand (COD)	12.83	NS	mg/L	APHA, 24 th Edition 2023/ 5220-C
20	Bio Chemical Oxygen Demand (BOD) @ 27°C for 3 Days	1.4	3.0 Max	mg/L	IS 3025 (Part 44):2023
21	Total Suspended Solids (TSS)	12.0	NS	mg/L	APHA, 24 th Edition 2023/ 2540-D
22	Oil & Grease	BDL	0.1 Max	mg/L	IS 3025 (Part 39):2021
23	Dissolve Oxygen as DO	4.9	4.0 Min	mg/L	APHA 24 th edition: 45000-B:2023
24	Anionic detergents (as MBAS)	<0.1	1.0 Max	mg/L	IS 3025 (Part 68): 2019

Note: NA-Not Applicable. NS-Not Specified

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Simeh
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MSW/13I		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Surface Water- Moissal Dam Water Sample		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Sterile Plastic Bottle	Sample Quantity	250 mL(Each)
Sampling Procedure	IS (1622):1981R2019		
Limits	Surface Water Quality Standards Class –C (as per IS:2296)		

Chemical Testing

Sr.No	Parameters	Results	Limits	Unit	Method
		SW-6			
1	Total coliform bacteria	70.0	5000.0	MPN/100 mL	IS (1622):1981R2019

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.
01	Moissal Dam Water Sample	SW-6



For Shreeji Aqua Treatment Pvt. Ltd.

Ringra
(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 3 of 3

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100983F

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13L		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-1	GW-2	GW-3			
1	pH Value	6.83	6.94	7.11	6.5-8.5	-----	IS 3025 (Part 11):2022
2	Turbidity	<1.0	<1.0	<1.0	1.0 Max	NTU	IS 3025 (Part 10) :1984 R 2023
3	Total Dissolved Solids	58.0	62.0	60.0	500.0 Max	mg/L	IS 3025 (Part 16): 2023
4	Sulphate as SO ₄	1.77	2.02	1.69	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
5	Total alkalinity as CaCO ₃	30.0	35.0	28.0	200.0 Max	mg/L	IS 3025 (Part 23): 2023
6	Total Hardness as CaCO ₃	28.0	30.0	26.0	200.0 Max	mg/L	IS 3025 (Part 21): 2009 R 2019
7	Calcium as Ca	6.41	8.01	5.61	75.0 Max	mg/L	IS 3025 (Part 40): 1991 R 2019
8	Magnesium as Mg	2.92	2.43	2.92	30.0 Max	mg/L	IS 3025 (Part 46) R 2023
9	Chloride as Cl	17.03	19.03	16.03	250.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
10	Nitrate as NO ₃	0.16	0.24	0.42	45.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
11	Lead as Pb	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Iron as Fe	<0.1	<0.1	<0.1	1.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
13	Free residual chlorine	<0.2	<0.2	<0.2	0.2 Min	mg/L	APHA 24th Edition (4500-Cl--B)2023
14	Boron as B	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Zinc as Zn	0.010	0.022	0.036	5.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019

Note: NA-Not Applicable. NTU: Nephelometric Turbidity unit

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13L		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-1	GW-2	GW-3			
16	Cadmium as Cd	<0.003	<0.003	<0.003	0.003 Max	mg/L	IS 3025 (Part 2): 2004 R2019
17	Cyanide as CN	<0.05	<0.05	<0.05	0.05 Max	mg/L	APHA 24 th Edition:2023:4500CN (Part E)
18	Nickel as Ni	<0.01	<0.01	<0.01	0.02 Max	mg/L	IS 3025 (Part 2): 2004 R2019
19	Hexavalent Chromium	<0.01	<0.01	<0.01	NS	mg/L	APHA 24 th edition: 3500Cr- B:2023
20	Aluminium as Al	<0.01	<0.01	<0.01	0.03 Max	mg/L	IS 3025 (Part 2): 2004 R2019
21	Manganese as Mn	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
22	Phenolic compound as C ₆ H ₆ OH	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025 (Part 43):1992 R 2022
23	Copper as Cu	<0.01	<0.01	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
24	Sodium as Na	0.17	0.15	0.22	NS	mg/L	APHA 24 th Edition:2023/3500-Na-B
25	Potassium as K	0.10	0.10	0.13	NS	mg/L	APHA 24 th Edition:2023/3500-K-B
26	Conductivity	90.4	98.6	96.5	NS	µs/cm	APHA, 24 th Edition 2023/2510-B

Note: NA-Not Applicable. NS-Not Specified.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehra
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13L		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-1	GW-2	GW-3			
27	Fluorides as F	<0.1	<0.1	<0.1	1.0 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
28	Mercury as Hg	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025: (Part 48):1994 R2020
29	Molybdenum as Mo	<0.01	<0.01	<0.01	0.07 Max	mg/L	IS 3025 (Part 2): 2004 R2019
30	Selenium as Se	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
31	Silver as Ag	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
32	Total arsenic as As	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 37):1988 R2019
33	Barium as Ba	<0.01	<0.01	<0.01	0.7 Max	mg/L	IS 3025 (Part 2): 2004 R2019
34	Colour	<1.0	<1.0	<1.0	5.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
35	Odour	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 5):1983 R 2018
36	Taste	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 7):1984 R 2017
37	Mineral Oil	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025(Part 39)R2021
38	Sulphide as H ₂ S	<0.05	<0.05	<0.05	0.05 Max	mg/L	IS 3025: (Part 29) : 1986 R2022
39	Chloramines as Cl ₂	<1.0	<1.0	<1.0	4.0 Max	mg/L	APHA 24 th edition 4500-Cl-F/2023
40	Anionic detergents (as MBAS)	<0.1	<0.1	<0.1	0.2 Max	mg/L	IS 3025 (Part 68): 2019
41	Ammonia (as total ammonia-N)	<0.07	<0.07	<0.07	0.5 Max	mg/L	IS 3025 (Part 34):1988 R 2019
42	Temperature	25.8	26.2	26.6	NS	°C	APHA, 24 th Edition 2023/2550-B

Note: NA-Not Applicable. NS-Not Specified

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehra
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 3 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13L		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Sterile Plastic Bottle	Sample Quantity	250 mL(Each)
Sampling Procedure	IS (1622):1981R2019		
Limits	As Per IS 10500:2012 Standards		

Biological Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-1	GW-2	GW-3			
1	Total coliform bacteria	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016
2	E. coli	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.	Water Level(m)
01	Ground Water – Cuddegal (Within Plant Site)	GW-1	5.5
02	Ground Water – Santona Village (Ambeudok)	GW-2	5.1
03	Ground Water – Kalay Village (Devnamol)	GW-3	6.0



For Shreeji Aqua Treatment Pvt. Ltd.

P. M. J.
(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 4 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100984F

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13M		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-4	GW-5	GW-6			
1	pH Value	7.21	7.08	7.16	6.5-8.5	-----	IS 3025 (Part 11):2022
2	Turbidity	<1.0	<1.0	<1.0	1.0 Max	NTU	IS 3025 (Part 10) :1984 R 2023
3	Total Dissolved Solids	46.0	48.0	60.0	500.0 Max	mg/L	IS 3025 (Part 16): 2023
4	Sulphate as SO ₄	1.21	1.53	2.02	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
5	Total alkalinity as CaCO ₃	20.0	28.0	33.0	200.0 Max	mg/L	IS 3025 (Part 23): 2023
6	Total Hardness as CaCO ₃	16.0	20.0	28.0	200.0 Max	mg/L	IS 3025 (Part 21): 2009 R 2019
7	Calcium as Ca	4.01	4.81	7.21	75.0 Max	mg/L	IS 3025 (Part 40): 1991 R 2019
8	Magnesium as Mg	1.46	1.94	2.43	30.0 Max	mg/L	IS 3025 (Part 46) R 2023
9	Chloride as Cl	9.02	12.02	15.03	250.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
10	Nitrate as NO ₃	0.24	0.32	0.42	45.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
11	Lead as Pb	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Iron as Fe	<0.1	<0.1	<0.1	1.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
13	Free residual chlorine	<0.2	<0.2	<0.2	0.2 Min	mg/L	APHA 24th Edition (4500-Cl--B)2023
14	Boron as B	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Zinc as Zn	0.030	0.014	0.08	5.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019

Note: NA-Not Applicable. NTU: Nephelometric Turbidity unit

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13M		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-4	GW-5	GW-6			
16	Cadmium as Cd	<0.003	<0.003	<0.003	0.003 Max	mg/L	IS 3025 (Part 2): 2004 R2019
17	Cyanide as CN	<0.05	<0.05	<0.05	0.05 Max	mg/L	APHA 24 th Edition:2023:4500CN (Part E)
18	Nickel as Ni	<0.01	<0.01	<0.01	0.02 Max	mg/L	IS 3025 (Part 2): 2004 R2019
19	Hexavalent Chromium	<0.01	<0.01	<0.01	NS	mg/L	APHA 24 th edition: 3500Cr- B:2023
20	Aluminium as Al	<0.01	<0.01	<0.01	0.03 Max	mg/L	IS 3025 (Part 2): 2004 R2019
21	Manganese as Mn	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
22	Phenolic compound as C ₆ H ₅ OH	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025 (Part 43):1992 R 2022
23	Copper as Cu	<0.01	<0.01	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
24	Sodium as Na	<0.04	0.20	0.22	NS	mg/L	APHA 24 th Edition:2023/3500-Na-B
25	Potassium as K	<0.04	0.07	0.10	NS	mg/L	APHA 24 th Edition:2023/3500-K-B
26	Conductivity	75.1	76.6	95.1	NS	µs/cm	APHA, 24 th Edition 2023/2510-B

Note: NA-Not Applicable. NS-Not Specified.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehra
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13M		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-4	GW-5	GW-6			
27	Fluorides as F	<0.1	<0.1	<0.1	1.0 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
28	Mercury as Hg	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025: (Part 48):1994 R2020
29	Molybdenum as Mo	<0.01	<0.01	<0.01	0.07 Max	mg/L	IS 3025 (Part 2): 2004 R2019
30	Selenium as Se	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
31	Silver as Ag	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
32	Total arsenic as As	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 37):1988 R2019
33	Barium as Ba	<0.01	<0.01	<0.01	0.7 Max	mg/L	IS 3025 (Part 2): 2004 R2019
34	Colour	<1.0	<1.0	<1.0	5.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
35	Odour	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 5):1983 R 2018
36	Taste	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 7):1984 R 2017
37	Mineral Oil	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025(Part 39)R2021
38	Sulphide as H ₂ S	<0.05	<0.05	<0.05	0.05 Max	mg/L	IS 3025: (Part 29) : 1986 R2022
39	Chloramines as Cl ₂	<1.0	<1.0	<1.0	4.0 Max	mg/L	APHA 24 th edition 4500-Cl-F/2023
40	Anionic detergents (as MBAS)	<0.1	<0.1	<0.1	0.2 Max	mg/L	IS 3025 (Part 68): 2019
41	Ammonia (as total ammonia-N)	<0.07	<0.07	<0.07	0.5 Max	mg/L	IS 3025 (Part 34):1988 R 2019
42	Temperature	25.4	26.1	25.8	NS	°C	APHA, 24 th Edition 2023/2550-B

Note: NA-Not Applicable. NS-Not Specified

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. J. Melkar
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 3 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreeji aqua.com Web: www.shreeji aqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreeji aqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13M		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Sterile Plastic Bottle	Sample Quantity	250 mL(Each)
Sampling Procedure	IS (1622):1981R2019		
Limits	As Per IS 10500:2012 Standards		

Biological Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-4	GW-5	GW-6			
1	Total coliform bacteria	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016
2	E. coli	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.	Water Level(m)
01	Ground Water – Bandoli Village (Savargal)	GW-4	2.6
02	Ground Water – Muguli Village	GW-5	5.1
03	Ground Water – Tatodi Village	GW-6	12.8



For Shreeji Aqua Treatment Pvt. Ltd.

Pingre
(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 4 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY



TC-13877

ULR No.: TC1387726000100985F

TEST REPORT

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13N		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-7	GW-8	GW-9			
1	pH Value	7.12	7.42	7.19	6.5-8.5	-----	IS 3025 (Part 11):2022
2	Turbidity	<1.0	<1.0	<1.0	1.0 Max	NTU	IS 3025 (Part 10) :1984 R 2023
3	Total Dissolved Solids	66.0	56.0	62.0	500.0 Max	mg/L	IS 3025 (Part 16): 2023
4	Sulphate as SO ₄	2.26	0.48	1.13	200.0 Max	mg/L	IS 3025: (Part 24/Sec 1) :R2022
5	Total alkalinity as CaCO ₃	30.0	25.0	26.0	200.0 Max	mg/L	IS 3025 (Part 23): 2023
6	Total Hardness as CaCO ₃	32.0	24.0	30.0	200.0 Max	mg/L	IS 3025 (Part 21): 2009 R 2019
7	Calcium as Ca	8.02	4.81	5.61	75.0 Max	mg/L	IS 3025 (Part 40): 1991 R 2019
8	Magnesium as Mg	2.92	2.92	3.88	30.0 Max	mg/L	IS 3025 (Part 46) R 2023
9	Chloride as Cl	17.03	11.02	15.03	250.0 Max	mg/L	IS 3025 (Part 32): 1988 R 2019
10	Nitrate as NO ₃	0.30	0.18	0.24	45.0 Max	mg/L	IS 3025 (Part 34):1988 R 2019
11	Lead as Pb	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
12	Iron as Fe	<0.1	<0.1	<0.1	1.0 Max	mg/L	APHA, 24 th Edition : 3500Fe (Part B)2023
13	Free residual chlorine	<0.2	<0.2	<0.2	0.2 Min	mg/L	APHA 24th Edition (4500-Cl--B)2023
14	Boron as B	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025 (Part 2): 2004 R2019
15	Zinc as Zn	0.041	0.026	0.036	5.0 Max	mg/L	IS 3025 (Part 2): 2004 R2019

Note: NA-Not Applicable. NTU: Nephelometric Turbidity unit

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 1 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 184,Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13N		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-7	GW-8	GW-9			
16	Cadmium as Cd	<0.003	<0.003	<0.003	0.003 Max	mg/L	IS 3025 (Part 2): 2004 R2019
17	Cyanide as CN	<0.05	<0.05	<0.05	0.05 Max	mg/L	APHA 24 th Edition:2023:4500CN (Part E)
18	Nickel as Ni	<0.01	<0.01	<0.01	0.02 Max	mg/L	IS 3025 (Part 2): 2004 R2019
19	Hexavalent Chromium	<0.01	<0.01	<0.01	NS	mg/L	APHA 24 th edition: 3500Cr- B:2023
20	Aluminium as Al	<0.01	<0.01	<0.01	0.03 Max	mg/L	IS 3025 (Part 2): 2004 R2019
21	Manganese as Mn	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
22	Phenolic compound as C ₆ H ₅ OH	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025 (Part 43):1992 R 2022
23	Copper as Cu	<0.01	<0.01	<0.01	0.05 Max	mg/L	IS 3025 (Part 2): 2004 R2019
24	Sodium as Na	0.23	0.12	0.20	NS	mg/L	APHA 24 th Edition:2023/3500-Na-B
25	Potassium as K	0.12	0.08	0.10	NS	mg/L	APHA 24 th Edition:2023/3500-K-B
26	Conductivity	108.2	88.4	98.4	NS	µs/cm	APHA, 24 th Edition 2023/2510-B

Note: NA-Not Applicable. NS-Not Specified.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. Mehra
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 2 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13N		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Plastic can	Sample Quantity	05 Lit (Each)
Sampling Procedure	IS 3025 (Part 1)		
Limits	As Per IS 10500:2012 Standards		

Chemical Testing

Sr.No	Parametes	Results			Limits	Unit	Method
		GW-7	GW-8	GW-9			
27	Fluorides as F	<0.1	<0.1	<0.1	1.0 Max	mg/L	IS 3025 (Part 60) : 2008 R 2019
28	Mercury as Hg	<0.001	<0.001	<0.001	0.001 Max	mg/L	IS 3025: (Part 48):1994 R2020
29	Molybdenum as Mo	<0.01	<0.01	<0.01	0.07 Max	mg/L	IS 3025 (Part 2): 2004 R2019
30	Selenium as Se	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 2): 2004 R2019
31	Silver as Ag	<0.01	<0.01	<0.01	0.1 Max	mg/L	IS 3025 (Part 2): 2004 R2019
32	Total arsenic as As	<0.01	<0.01	<0.01	0.01 Max	mg/L	IS 3025 (Part 37):1988 R2019
33	Barium as Ba	<0.01	<0.01	<0.01	0.7 Max	mg/L	IS 3025 (Part 2): 2004 R2019
34	Colour	<1.0	<1.0	<1.0	5.0 Max	Hazen	IS 3025 (Part 4) :1983 R 2021
35	Odour	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 5):1983 R 2018
36	Taste	Agreeable	Agreeable	Agreeable	Agreeable	-----	IS 3025(Part 7):1984 R 2017
37	Mineral Oil	<0.01	<0.01	<0.01	0.5 Max	mg/L	IS 3025(Part 39)R2021
38	Sulphide as H ₂ S	<0.05	<0.05	<0.05	0.05 Max	mg/L	IS 3025: (Part 29) : 1986 R2022
39	Chloramines as Cl ₂	<1.0	<1.0	<1.0	4.0 Max	mg/L	APHA 24 th edition 4500-Cl-F/2023
40	Anionic detergents (as MBAS)	<0.1	<0.1	<0.1	0.2 Max	mg/L	IS 3025 (Part 68): 2019
41	Ammonia (as total ammonia-N)	<0.07	<0.07	<0.07	0.5 Max	mg/L	IS 3025 (Part 34):1988 R 2019
42	Temperature	25.8	26.2	26.0	NS	°C	APHA, 24 th Edition 2023/2550-B

Note: NA-Not Applicable. NS-Not Specified

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'



For Shreeji Aqua Treatment Pvt. Ltd.

S. M. K.
Managing Director
Authorized Signatory

A part of the report has been generated on the next page. The results relate to sample tested.

Page 3 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

● ENVIRONMENT ● FOOD ● ANIMAL FOOD & FEED ● MICROBIOLOGY

TEST REPORT

22/06/2026

22/06/2026

Sample / Report No.	SATPL/26-27/06/MGW/13N		
Name of Customer	M/s. GREATER FERROMET (DIVISION OF SOCIEDADE DE FOMENTO INDUSTRIAL PVT.LTD.) IRON ORE WET BENEFICIATION PLANT.		
Address of Customer	VILLAGE SANTONA, TALUKA- SANGUEM, SOUTH GOA DISTRICT, GOA.		
Order / Reference	As Per TRF dated 15/06/2026		
Sample declaration as provided by customer :			
Nature of Sample	Ground Water (Drinking Purpose)		
Batch No.	NA		
Sample Drawn by	SATPL on 15/06/2026	Sample Received On	16/06/2026
Start of Analysis	16/06/2026	End of Analysis	22/06/2026
Sample Container	Sterile Plastic Bottle	Sample Quantity	250 mL(Each)
Sampling Procedure	IS (1622):1981R2019		
Limits	As Per IS 10500:2012 Standards		

Biological Testing

Sr.No	Parameters	Results			Limits	Unit	Method
		GW-7	GW-8	GW-9			
1	Total coliform bacteria	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016
2	E. coli	Absent	Absent	Absent	Absent	/100 ml	IS 15185:2016

Note: NA-Not Applicable.

Remark: -The sample analyzed for above parameters is within the prescribed limits

Disclaimer: 'Information supplied by customers represented in italic font'

Sample Details

Sr. No.	Location	Code No.	Water Level(m)
01	Ground Water - Dargini Village	GW-7	6.5
02	Ground Water - Dabal Village	GW-8	6.4
03	Ground Water - Panchwadi Village	GW-9	7.3



For Shreeji Aqua Treatment Pvt. Ltd.

Ringne

(Microbiology Department)
Authorized Signatory

-----End of Test Report-----

The results relate to sample tested.

Page 4 of 4

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com